

Rabbit anti-Acetyl-Histone H4-K8

Polyclonal Antibody

Catalog Number: R16066P

General Information

Immunogen	A synthetic peptide of human Acetyl-Histone H4-K8
IgG type	IgG
Clonality	Polyclonal
Specificity	Acetyl-Histone H4-K8
Applications & dilution	WB 1:1000 - 1:3000 IHC 1:200 - 1:500 IF 1:500 - 1:1000 IP 1:200 - 1:500 CHIP 1:20 - 1:50 CHIPseq 1:20 - 1:50
Formulation	PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
Purity	≥95% purity by SDS-PAGE
Storage	Store at -20°C. Avoid freeze / thaw cycles.
Abbreviation:	
ELISA: Enzyme-linked immunosorbent assay; ITA: immunoturbidimetric assay; IP: immunoprecipitation; IHC: immunohistochemistry; IF: immunofluorescence. WB: western blot; FC: flow cytometry	

Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a member of the histone H4 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in a histone cluster on chromosome 1. This gene is one of four histone genes in the cluster that are duplicated; this record represents the centromeric copy.


For research use only

Preparation


Polyclonal antibody is produced by immunizing rabbit with a synthetic peptide of human Acetyl-Histone H4-K8 and purified using protein A resin.

Applications


Western blot



Immunofluorescence



Chromatin immunoprecipitation



Storage

This antibody is shipped at 4 °C. This product is stable for 12 months from date of receipt when stored at -20 °C to -70 °C. Avoid freeze/thaw cycles.

Hazard/Biohazard

This antibody contains 0.02% sodium azide as preservative. Please handle and dispose the product properly. No known biohazard is associated with this product.